



PISTON COMPRESSORS



ALWAYS
PROVIDE
THE BEST

konaircompressor.com

The compressors with the single stage, single & double cylinder which equip with threephase and monophase (up to 2hp) electric motor are V-Belt driven.

50lt, 100lt and 130 lt models have wheels for mobility.

All compressors are equip with pressure switch, safety valve, manometer, non-return valve, condensate drain valve and air outlet valve.

Single stage 5.5 hp and 7.5 hp compressor models include starting switch and the working principle of these compressors is as start-stop. Unloading has been provided by the automatic drain on pressure switch. Our 10hp models must be equip with Star Delta Electric Panel.



Model: 11-50

Air Receiver : 50 lt
 Motor Power : 1 hp
 Capacity : 110 lt/ min
 Pressure : 8 bar
 Speed : 980 Rpm



Model: 11-50 Mono

Air Receiver : 50 lt
 Motor Power : 1 hp
 Capacity : 110 lt/ min
 Pressure : 8 bar
 Speed : 980 Rpm



Model: 21-100

Air Receiver : 100 lt
 Motor Power : 1,5 hp
 Capacity : 210 lt/ min
 Pressure : 8 bar
 Speed : 980 Rpm



Model: 21-100 Mono

Air Receiver : 100 lt
 Motor Power : 1,5 hp
 Capacity : 210 lt/ min
 Pressure : 8 bar
 Speed : 980 Rpm



Model: 21-130

Air Receiver : 130 lt
 Motor Power : 2 hp
 Capacity : 275 lt/ min
 Pressure : 8 bar
 Speed : 1300 Rpm



Model: 21-130 Monofaze

Air Receiver : 130 lt
 Motor Power : 2 hp
 Capacity : 260 lt/ min
 Pressure : 8 bar
 Speed : 1250 Rpm



Model: 21-220

Air Receiver : 200 lt
 Motor Power : 3 hp
 Capacity : 400 lt/ min
 Pressure : 8 bar
 Speed : 980 Rpm



Model: 21-220 Mono

Air Receiver : 200 lt
 Motor Power : 3 hp
 Capacity : 400 lt/ min
 Pressure : 8 bar
 Speed : 980 Rpm



Model: 21-300 5,5

Air Receiver : 300 lt
 Motor Power : 5,5 hp
 Capacity : 780 lt/ min
 Pressure : 8 bar
 Speed : 950 Rpm



Model: 21-530 5,5

Air Receiver : 530 lt
 Motor Power : 5,5 hp
 Capacity : 780 lt/ min
 Pressure : 8 bar
 Speed : 950 Rpm



Model: 21-530 7,5

Air Receiver : 530 lt
 Motor Power : 7,5 hp
 Capacity : 920 lt/ min
 Pressure : 8 bar
 Speed : 1120 Rpm



Model: 21-530 10

Air Receiver : 530 lt
 Motor Power : 10 hp
 Capacity : 1370 lt/ min
 Pressure : 8 bar
 Speed : 900 Rpm

BELT DRIVEN SINGLE STAGE PISTON AIR COMPRESSORS

Model	Working Pressure (bar)	Air receiver (lt)	Motor Power (hp)	Capacity (lt/min)	Voltage (Hz)	Cylinder	Speed	Dimensions (mm)	Weight (kg)
11-50	8	50	1	110	400/3	1	980	500 x 880 x 830	60
11-50M	8	50	1	110	230/1	1	980	500 x 880 x 830	63
21-100	8	100	1.5	210	400/3	2	980	600 x 1150 x 1000	83
21-100M	8	100	1.5	210	230/1	2	980	600 x 1150 x 1000	83
21-130	8	130	2	275	400/3	2	1300	600 x 1300 x 910	94
21-130M	8	130	2	260	230/1	2	1250	600 x 1300 x 910	94
21-220	8	200	3	400	400/3	2	980	620 x 1500 x 1000	130
21-220M	8	200	3	400	230/1	2	980	620 x 1500 x 1000	130
21-300 / 5.5	8	300	5.5	780	400/3	2	950	650 x 1700 x 1200	203
21-530 / 5.5	8	530	5.5	780	400/3	2	950	770 x 1920 x 1340	295
21-530 / 7.5	8	530	7.5	920	400/3	2	1120	770 x 1920 x 1340	295
21-530 / 10	8	530	10	1370	400/3	2	900	770 x 1920 x 1500	384
21-1000 / 10	8	1000	10	1370	400/3	2	900	700 x 1320 x 880 (Frame) 1000 x 1060 x 2300 (Tank)	247 335
21-1000 / 10	8	Frame	10	1370	400/3	2	900	700 x 1320 x 880	247

The compressors with the double stage, double & triple cylinder which equip with three-phase and monophase (up to 2hp) electric motor are V-Belt driven.

All compressors are equip with pressure switch, safety valve, manometer, non-return valve, condensate drain valve and air outlet valve.

Double stage 5.5 hp and 7.5 hp compressor models include starting switch and the working principle of these compressors is as start-stop. Unloading has been provided by the automatic drain on pressure switch. Our 10hp models must be equip with Star Delta Electric Panel.



Model: 22-220

Air Receiver : 200 lt
 Motor Power : 2 hp
 Capacity : 200 lt/ min
 Pressure : 12 bar
 Speed : 980 Rpm



Model: 22-220 Mono

Air Receiver : 200 lt
 Motor Power : 2 hp
 Capacity : 200 lt/ min
 Pressure : 12 bar
 Speed : 980 Rpm



Model: 22-300 5,5

Air Receiver : 300 lt
 Motor Power : 5,5 hp
 Capacity : 630 lt/ min
 Pressure : 12 bar
 Speed : 950 Rpm



Model: 22-530 5,5

Air Receiver : 530 lt
 Motor Power : 5,5 hp
 Capacity : 630 lt/ min
 Pressure : 12 bar
 Speed : 950 Rpm



Model: 22-530 7,5

Air Receiver : 530 lt
 Motor Power : 7,5 hp
 Capacity : 800 lt/ min
 Pressure : 12 bar
 Speed : 1150 Rpm



Model: 22-530 10

Air Receiver : 530 lt
 Motor Power : 10 hp
 Capacity : 1225 lt/ min
 Pressure : 12 bar
 Speed : 1250 Rpm



Model: 22-1000 15

Air Receiver : 1000 lt
 Motor Power : 15 hp
 Capacity : 1730 lt/ min
 Pressure : 12 bar
 Speed : 1075 Rpm

DOUBLE STAGE PISTON COMPRESSORS

Model	Tank Volume (lt)	Motor Power (hp)	Voltage (Hz)	Air Suction (lt/min)	Discharge Pressure (Bar G)	Cylinder	Speed	Sizes (Wx Lx H) mm	Weight (kg)
22-220	200	2	380	200	12	2	980	620 x 1500 x 1000	129
22-220 MONOPHASE	200	2	220	200	12	2	980	620 x 1500 x 1000	130
22-300 /5.5	300	5	380	630	12	2	950	650 x 1700 x 1200	195
22-530/5.5	530	5	380	630	12	2	950	770 x 1920 x 1340	303
22-530/7.5	530	7,5	380	800	12	2	1150	770 x 1920 x 1340	307
22-530/10	530	10	380	1225	12	2	1250	770 x 1920 x 1370	350
22-1000	Frame	10	380	1730	12	2	1075	700 x 1320 x 880	290

HEADQUARTERS:



Yazır Mah. Öztekinler Sk. F Blok
No: 48/13 Selçuklu/KONYA/TURKEY



+90 538 **779 90 60**



www.konaircompressor.com



info@konaircompressor.com

